

ActivityDependencyService

Activity Dependencies
Version: 1
BasePath:/int/ifsapplications/projection/v1/ActivityDependencyService.svc
All rights reserved
<http://apache.org/licenses/LICENSE-2.0.html>

Access

1. HTTP Basic Authentication

Methods

[[Jump to Models](#)]

Table of Contents

[ActivityDependencies](#)

- [GET /ActivityDependencies](#)
- [POST /ActivityDependencies](#)
- [DELETE /ActivityDependencies \(PredecessorActivitySeq={PredecessorActivitySeq}, SuccessorActivitySeq={SuccessorActivitySeq}, DependencyTypeDb='{DependencyTypeDb}'\)](#)
- [GET /ActivityDependencies \(PredecessorActivitySeq={PredecessorActivitySeq}, SuccessorActivitySeq={SuccessorActivitySeq}, DependencyTypeDb='{DependencyTypeDb}'\)](#)
- [PATCH /ActivityDependencies \(PredecessorActivitySeq={PredecessorActivitySeq}, SuccessorActivitySeq={SuccessorActivitySeq}, DependencyTypeDb='{DependencyTypeDb}'\)](#)

[ActivityDependency](#)

- [GET /ActivityDependencies/IfsApp.ActivityDependencyService.ActivityDependency.Default\(\)](#)

ActivityDependencies

GET /ActivityDependencies

Up

Get entities from ActivityDependencies ([activityDependenciesGet](#))

Query parameters

Stop (optional)

Query Parameter – Show only the first n items, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptiontop>OData Paging - Top

\$skip (optional)

Query Parameter – Skip the first n items, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptionskip>OData Paging - Skip

\$count (optional)

Query Parameter – Include count of items, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptioncount>OData Count

\$filter (optional)

Query Parameter – Filter items by property values, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptionfilter>OData Filtering

\$orderby (optional)

Query Parameter – Order items by property values, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptionorderby>OData Sorting

\$select (optional)

Query Parameter – Order items by property values, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptionorderby>OData Sorting

Return type

[inline response 200](#)

Example data

Content-Type: application/json

```
{
  "value" : [ {
    "LagInHours" : 1,
    "PredecessorActivityNo" : "It is a Text",
    "SuccessorSubProjectId" : "It is a Text",
    "keyref" : "It is a Text",
    "PredecessorSubProjectId" : "It is a Text",
    "SuccessorActivityNo" : "It is a Text",
    "PredecessorProjectId" : "It is a Text",
    "PrimaryDependencyDb" : true,
    "PredecessorActivitySeq" : 1,
    "Objgrants" : "It is a Text",
    "SuccessorActivitySeq" : 1,
    "DependencyTypeDb" : "It is a Text",
    "ETag" : "It is a Text",
    "DependencyType" : "It is a Text",
    "luname" : "It is a Text",
    "SuccessorProjectId" : "It is a Text"
  }, {
    "LagInHours" : 1,
    "PredecessorActivityNo" : "It is a Text",
    "SuccessorSubProjectId" : "It is a Text",
    "keyref" : "It is a Text",
    "PredecessorSubProjectId" : "It is a Text",
    "SuccessorActivityNo" : "It is a Text",
    "PredecessorProjectId" : "It is a Text",
    "PrimaryDependencyDb" : true,
    "PredecessorActivitySeq" : 1,
    "Objgrants" : "It is a Text",
    "SuccessorActivitySeq" : 1,
    "DependencyTypeDb" : "It is a Text",
    "ETag" : "It is a Text",
    "DependencyType" : "It is a Text",
    "luname" : "It is a Text",
    "SuccessorProjectId" : "It is a Text"
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json
- text/plain

Responses

200

response body for entity array ActivityDependency [inline response 200](#)

202

Accepted [String](#)

204

No Content [String](#)

403

Forbidden [String](#)

404

Not found [String](#)

POST /ActivityDependencies

Add new entity to ActivityDependencies ([activityDependenciesPost](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [ActivityDependency-Insert](#) (optional)

Body Parameter – request body for inserting entity type ActivityDependency

Request headers

Return type

[ActivityDependency](#)

Example data

Content-Type: application/json

```
{
  "LagInHours" : 1,
  "PredecessorActivityNo" : "It is a Text",
  "SuccessorSubProjectId" : "It is a Text",
  "keyref" : "It is a Text",
  "PredecessorSubProjectId" : "It is a Text",
  "SuccessorActivityNo" : "It is a Text",
  "PredecessorProjectId" : "It is a Text",
  "PrimaryDependencyDb" : true,
  "PredecessorActivitySeq" : 1,
  "Objqrants" : "It is a Text",
  "SuccessorActivitySeq" : 1,
  "DependencyTypeDb" : "It is a Text",
  "ETag" : "It is a Text",
  "DependencyType" : "It is a Text",
  "luname" : "It is a Text",
  "SuccessorProjectId" : "It is a Text"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json
- text/plain

Responses

201

response body for entity type ActivityDependency [ActivityDependency](#)

202

Accepted [String](#)

204

No Content [String](#)

403

Forbidden [String](#)

404

Not found [String](#)

DELETE /ActivityDependencies (PredecessorActivitySeq={PredecessorActivitySeq}, SuccessorActivitySeq={SuccessorActivitySeq})

Delete entity from ActivityDependencies

([activityDependenciesPredecessorActivitySeqPredecessorActivitySeqSuccessorActivitySeqSuccessorActivitySeqDependencyTypeDbDependencyTypeDbDelete](#))

Path parameters

PredecessorActivitySeq (required)

Path Parameter – key: PredecessorActivitySeq

SuccessorActivitySeq (required)

Path Parameter – key: SuccessorActivitySeq

DependencyTypeDb (required)

Path Parameter – key: DependencyTypeDb

Request headers

Return type

String

Example data

Content-Type: application/json

```
""
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain

Responses

202
Accepted [String](#)
204
No Content [String](#)
403
Forbidden [String](#)
404
Not found [String](#)

GET /ActivityDependencies (PredecessorActivitySeq={PredecessorActivitySeq}, SuccessorActivitySeq={SuccessorActivitySeq}, DependencyTypeDb=DependencyTypeDb)

Get entity from ActivityDependencies by key
(activityDependenciesPredecessorActivitySeqPredecessorActivitySeqSuccessorActivitySeqSuccessorActivitySeqDependencyTypeDbDependencyTypeDbGet)

Path parameters

PredecessorActivitySeq (required)
Path Parameter – key: PredecessorActivitySeq

SuccessorActivitySeq (required)
Path Parameter – key: SuccessorActivitySeq

DependencyTypeDb (required)
Path Parameter – key: DependencyTypeDb

Query parameters

\$select (optional)
Query Parameter – Order items by property values, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptionorderby for OData Sorting

Return type

[ActivityDependency](#)

Example data

Content-Type: application/json

```
{
  "LagInHours" : 1,
  "PredecessorActivityNo" : "It is a Text",
  "SuccessorSubProjectId" : "It is a Text",
  "keyref" : "It is a Text",
  "PredecessorSubProjectId" : "It is a Text",
  "SuccessorActivityNo" : "It is a Text",
  "PredecessorProjectId" : "It is a Text",
  "PrimaryDependencyDb" : true,
  "PredecessorActivitySeq" : 1,
  "Objgrants" : "It is a Text",
  "SuccessorActivitySeq" : 1,
  "DependencyTypeDb" : "It is a Text",
  "ETag" : "It is a Text",
  "DependencyType" : "It is a Text",
  "luname" : "It is a Text",
  "SuccessorProjectId" : "It is a Text"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json
- text/plain

Responses

200
response body for entity type ActivityDependency [ActivityDependency](#)

202
Accepted [String](#)

204
No Content [String](#)

403
Forbidden [String](#)

404
Not found [String](#)

PATCH /ActivityDependencies (PredecessorActivitySeq={PredecessorActivitySeq}, SuccessorActivitySeq={SuccessorActivitySeq}, DependencyTypeDb=DependencyTypeDb)

Update entity in ActivityDependencies (activityDependenciesPredecessorActivitySeqPredecessorActivitySeqSuccessorActivitySeqSuccessorActivitySeqDependencyTypeDbDependencyTypeDbPatch)

Path parameters

PredecessorActivitySeq (required)
Path Parameter – key: PredecessorActivitySeq

SuccessorActivitySeq (required)
Path Parameter – key: SuccessorActivitySeq

DependencyTypeDb (required)
Path Parameter – key: DependencyTypeDb

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [ActivityDependency-Update](#) (optional)
Body Parameter – request body for updating entity type ActivityDependency

Request headers

Return type

[ActivityDependency](#)

Example data

Content-Type: application/json

```
{
  "LagInHours" : 1,
```

```
"PredecessorActivityNo" : "It is a Text",
"SuccessorSubProjectId" : "It is a Text",
"keyref" : "It is a Text",
"PredecessorSubProjectId" : "It is a Text",
"SuccessorActivityNo" : "It is a Text",
"PredecessorProjectId" : "It is a Text",
"PrimaryDependencyDb" : true,
"PredecessorActivitySeq" : 1,
"Objgrants" : "It is a Text",
"SuccessorActivitySeq" : 1,
"DependencyTypeDb" : "It is a Text",
"ETag" : "It is a Text",
"DependencyType" : "It is a Text",
"luname" : "It is a Text",
"SuccessorProjectId" : "It is a Text"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json
- text/plain

Responses

200

response body for entity type ActivityDependency [ActivityDependency](#)

202

Accepted [String](#)

204

No Content [String](#)

403

Forbidden [String](#)

404

Not found [String](#)

ActivityDependency

GET /ActivityDependencies/IfsApp.ActivityDependencyService.ActivityDependency.Default()

Up

Invoke function Default (activityDependenciesIfsAppActivityDependencyServiceActivityDependencyDefaultGet)

Request headers

Query parameters

\$select (optional)

Query Parameter – Order items by property values, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptionorderby OData Sorting

Return type

[ActivityDependency](#)

Example data

Content-Type: application/json

```
{
  "LagInHours" : 1,
  "PredecessorActivityNo" : "It is a Text",
  "SuccessorSubProjectId" : "It is a Text",
  "keyref" : "It is a Text",
  "PredecessorSubProjectId" : "It is a Text",
  "SuccessorActivityNo" : "It is a Text",
  "PredecessorProjectId" : "It is a Text",
  "PrimaryDependencyDb" : true,
  "PredecessorActivitySeq" : 1,
  "Objgrants" : "It is a Text",
  "SuccessorActivitySeq" : 1,
  "DependencyTypeDb" : "It is a Text",
  "ETag" : "It is a Text",
  "DependencyType" : "It is a Text",
  "luname" : "It is a Text",
  "SuccessorProjectId" : "It is a Text"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json
- text/plain

Responses

200

response body for function Default [ActivityDependency](#)

202

Accepted [String](#)

204

No Content [String](#)

403

Forbidden [String](#)

404

Not found [String](#)

Models

[[Jump to Methods](#)]

Table of Contents

1. [ActivityDependency](#)
2. [ActivityDependency-Insert - ActivityDependency for insert](#)
3. [ActivityDependency-Update - ActivityDependency for create](#)
4. [ConfigEntityDec](#)
5. [DependencyType_Enumeration](#)
6. [EntityDec](#)
7. [FndDynamicAssistSetup](#)
8. [FndDynamicAssistStep](#)
9. [FndDynamicCommandDef](#)
10. [FndDynamicNextStep](#)

11. [StreamInfoRec](#)
12. [inline_response_200](#)

ActivityDependency

[Up](#)

ETag (optional)

[String](#)

example: It is a Text

lname (optional)

[String](#)

example: It is a Text

keyref (optional)

[String](#)

example: It is a Text

Objgrants (optional)

[String](#)

example: It is a Text

PredecessorActivitySeq (optional)

[BigDecimal](#)

example: 1

SuccessorActivitySeq (optional)

[BigDecimal](#)

example: 1

DependencyType (optional)

[String](#)

example: It is a Text

LagInHours (optional)

[BigDecimal](#)

example: 1

PredecessorProjectId (optional)

[String](#)

example: It is a Text

PrimaryDependencyDb (optional)

[Boolean](#)

example: true

SuccessorProjectId (optional)

[String](#)

example: It is a Text

SuccessorSubProjectId (optional)

[String](#)

example: It is a Text

SuccessorActivityNo (optional)

[String](#)

example: It is a Text

PredecessorSubProjectId (optional)

[String](#)

example: It is a Text

PredecessorActivityNo (optional)

[String](#)

example: It is a Text

DependencyTypeDb (optional)

[String](#)

example: It is a Text

ActivityDependency-Insert - ActivityDependency for insert

[Up](#)

PredecessorActivitySeq (optional)

[BigDecimal](#)

example: 1

SuccessorActivitySeq (optional)

[BigDecimal](#)

example: 1

DependencyType (optional)

[String](#)

example: It is a Text

LagInHours (optional)

[BigDecimal](#)

example: 1

PredecessorProjectId (optional)

[String](#)

example: It is a Text

PrimaryDependencyDb (optional)

[Boolean](#)

example: true

SuccessorProjectId (optional)

[String](#)

example: It is a Text

SuccessorSubProjectId (optional)

[String](#)

example: It is a Text

SuccessorActivityNo (optional)

[String](#)

example: It is a Text

PredecessorSubProjectId (optional)

[String](#)

example: It is a Text

PredecessorActivityNo (optional)

[String](#)

example: It is a Text

DependencyTypeDb (optional)

[String](#)

example: It is a Text

ActivityDependency-Update - ActivityDependency for create

[Up](#)

DependencyType (optional)

[String](#)

example: It is a Text

LagInHours (optional)

[BigDecimal](#)

example: 1

PredecessorProjectId (optional)

[String](#)

example: It is a Text

SuccessorActivityNo (optional)

[String](#)

example: It is a Text

PredecessorActivityNo (optional)

[String](#)

example: It is a Text

DependencyTypeDb (optional)

[String](#)

example: It is a Text

ConfigEntityDec

ETag (optional)

[String](#)

example: It is a Text

Info (optional)

[String](#)

example: It is a Text

Attr (optional)

[String](#)

example: It is a Text

DependencyType_Enumeration

EntityDec

ETag (optional)

[String](#)

example: It is a Text

Info (optional)

[String](#)

example: It is a Text

Attr (optional)

[String](#)

example: It is a Text

EndDynamicAssistSetup

Label (optional)

[String](#)

example: It is a Text

Description (optional)

[String](#)

example: It is a Text

Entity (optional)

[String](#)

example: It is a Text

InitMetaFunction (optional)

[String](#)

example: It is a Text

StepsMetaFunction (optional)

[String](#)

example: It is a Text

FinishMetaFunction (optional)

[String](#)

example: It is a Text

NextStepFunction (optional)

[String](#)

example: It is a Text

NumberOfSteps (optional)

[BigDecimal](#)

example: 1

StartStep (optional)

[BigDecimal](#)

example: 1

EndDynamicAssistStep

Label (optional)

[String](#)

example: It is a Text

StepLabel (optional)

[String](#)

example: It is a Text

Entity (optional)

[String](#)

example: It is a Text

Description (optional)

[String](#)

example: It is a Text

Name (optional)

[String](#)

example: It is a Text

[Up](#)

[Up](#)

[Up](#)

[Up](#)

[Up](#)

Datatype (optional)

[String](#)

example: It is a Text

ControlType (optional)

[String](#)

example: It is a Text

MultiLine (optional)

[Boolean](#)

example: true

BindAttribute (optional)

[String](#)

example: It is a Text

BindAttributeLabel (optional)

[String](#)

example: It is a Text

SaveAction (optional)

[String](#)

example: It is a Text

SaveActionParameters (optional)

[String](#)

example: It is a Text

ProjectionName (optional)

[String](#)

example: It is a Text

DefaultValue (optional)

[String](#)

example: It is a Text

Required (optional)

[Boolean](#)

example: true

Enumeration (optional)

[String](#)

example: It is a Text

Reference (optional)

[String](#)

example: It is a Text

Visible (optional)

[Boolean](#)

example: true

Enabled (optional)

[Boolean](#)

example: true

RemarkNeeded (optional)

[Boolean](#)

example: true

RemarkAttribute (optional)

[String](#)

example: It is a Text

RemarkAttributeLabel (optional)

[String](#)

example: It is a Text

TerminateAllowed (optional)

[Boolean](#)

example: true

DynamicLovOptions (optional)

[String](#)

example: It is a Text

FinishEnabled (optional)

[Boolean](#)

example: true

Editable (optional)

[Boolean](#)

example: true

DefaultClobValue (optional)

[String](#)

BlobUploadCommand (optional)

[String](#)

example: It is a Text

PreviousStepAction (optional)

[String](#)

example: It is a Text

PreviousActionParameters (optional)

[String](#)

example: It is a Text

EndDynamicCommandDef

[Up](#)

Method (optional)

[String](#)

example: It is a Text

ArgName (optional)

[String](#)

example: It is a Text

ArgValue (optional)

[String](#)

example: It is a Text

Result (optional)

[String](#)

example: It is a Text

Assign (optional)

[String](#)

example: It is a Text

Next (optional)

[String](#)

example: It is a Text

Baund (optional)

[Boolean](#)

example: true

Name (optional)

[String](#)

example: It is a Text

Projection (optional)

[String](#)

example: It is a Text

Params (optional)

[String](#)

example: It is a Text

EndDynamicNextStep

[Up](#)

NextStep (optional)

[BigDecimal](#)

example: 1

DefaultValue (optional)

[String](#)

example: It is a Text

TerminatInfo (optional)

[String](#)

example: It is a Text

StreamInfoRec

[Up](#)

FileName (optional)

[String](#)

example: It is a Text

MimeType (optional)

[String](#)

example: It is a Text

inline_response_200

[Up](#)

value (optional)

[array\[ActivityDependency\]](#)